



24、双承单支管三通  
Double socket tee with flanged branch




Main			Branch			Weight (kg)					
DN	e	L	dn	e1	h	PN10		PN16		PN25	
						T type	K type	T type	K type	T type	K type
80	8.1	170	80	8.1	165	13.5	17.7	13.5	17.7	13.5	17.7
100	8.4	170	80	8.1	175	15.8	20.0	15.8	20.0	15.8	20.0
		190	100	8.4	180	17.2	22.0	17.2	22.0	17.7	22.0
125	8.7	170	80	8.1	190	19.4	23.0	19.4	23.0	19.4	23.0
		195	100	8.4	195	21.0	24.6	21.0	24.5	21.5	25.1
		225	125	8.7	200	23.0	26.8	23.0	26.8	24.0	27.4
150	9.1	170	80	8.1	205	23.0	28.0	23.0	28.0	23.0	28.0
		195	100	8.4	210	24.5	29.5	24.5	29.5	25.0	29.5
		230	125	8.7	215	27.1	32.1	27.5	32.1	27.7	32.7
		255	150	9.1	220	29.5	34.5	29.5	34.5	30.5	34.5
200	9.8	175	80	8.1	235	31.5	36.0	31.5	36.0	31.5	36.0
		200	100	8.4	240	33.5	38.0	33.5	38.0	34.0	38.0
		235	125	8.7	240	36.2	39.2	36.2	39.2	36.8	39.8
		255	150	9.1	250	39.0	43.4	39.0	43.4	40.0	43.4
250	10.5	315	200	9.8	260	45.6	50	46.0	50.4	47.5	52.0
		180	80	8.1	265	42.2	43.6	42.2	43.6	42.2	43.6
		200	100	8.4	270	43.5	46.0	43.5	46.0	44.0	46.5
		230	125	8.7	275	47.7	49.1	47.7	49.1	48.3	49.7
		260	150	9.1	280	51.3	52.7	51.3	52.7	52.2	53.6
300	11.2	315	200	9.8	290	57.0	60.0	57.0	60.0	59.0	62.0
		375	250	10.5	300	67.4	68.8	67.1	68.5	70.7	72.1
		180	80	8.1	295	60.8	65.4	60.8	65.4	60.8	65.4
		205	100	8.4	300	64.2	68.8	64.2	68.8	64.7	69.3
		230	125	8.7	300	67.0	71.6	67.0	71.6	67.6	72.2
		260	150	9.1	310	71.2	75.8	71.2	75.8	72.1	76.7
350	11.9	320	200	9.8	320	77.9	82.5	77.9	82.5	79.7	84.3
		380	250	10.5	330	87.8	92.4	87.4	92.0	91.1	95.7
		435	300	11.2	340	98.7	103.3	98.4	103.0	103.6	108.2
		185	80	8.1	325	66.0	76.0	66.0	76.0	66.0	76.0
		205	100	8.4	330	68.0	78.4	68.0	78.4	68.0	78.9
		230	125	8.7	330	70.2	82.6	70.2	82.6	70.8	83.2
		270	150	9.1	340	82.3	93.0	81.3	93.0	82.3	93.0
		325	200	9.8	350	86.0	96.0	86.0	96.0	88.0	98.0
400	12.6	385	250	10.5	360	93.2	105.6	92.9	105.3	96.5	108.9
		420	300	11.2	370	105.0	117.4	104.7	117.1	109.9	122.3
		495	350	11.9	380	117.0	128.3	120.0	131.1	129.0	139.0
		185	80	8.1	355	80.0	90.0	80.0	90.0	80.0	90.0
		210	100	8.4	360	83.0	93.0	83.0	93.0	83.0	93.0
		230	125	8.7	360	86.2	95.3	86.2	95.3	86.7	95.9
		270	150	9.1	370	89.3	101.9	89.3	101.9	90.3	102.9
		325	200	9.8	380	103.0	113.0	102.0	112.0	104.0	114.0
		385	250	10.5	390	111.3	123.9	111.0	123.6	114.6	127.2
		440	300	11.2	400	123.5	136.1	123.2	135.8	128.4	141.0
450	13.3	480	350	11.9	410	143.0	145.5	146.0	148.3	143.6	156.2
		560	400	12.6	420	150.0	161.7	156.0	168.2	167.0	177.4
		190	80	8.1	370	85.8	103.8	85.8	103.8	85.8	103.8
		215	100	8.4	390	90.5	108.5	90.5	108.5	91.0	109.0
		230	125	8.7	390	93.8	111.8	93.8	111.8	94.4	112.4
		270	150	9.1	400	101.3	119.3	101.3	119.3	102.2	120.2
		330	200	9.8	410	113.2	131.2	113.2	131.2	115.0	133.0
		390	250	10.5	420	126.4	144.4	126.1	144.1	129.7	147.7
		445	300	11.2	430	139.7	157.7	139.4	157.4	144.6	162.6
		480	350	11.9	430	148.0	166.0	150.8	168.8	158.7	176.7
500	14	560	400	12.6	450	166.6	184.6	173.1	191.1	182.3	200.3
		620	450	13.3	460	181.5	199.5	190.8	208.8	201.2	219.2
		190	80	8.1	400	103.2	118.4	103.2	118.4	103.2	118.4
		215	100	8.4	420	116.0	123.7	116.0	123.7	117.0	124.2
		240	125	8.7	420	118.8	129.0	118.8	129.0	119.4	129.6
		280	150	9.1	420	121.9	137.1	121.9	137.1	122.9	138.1
		330	200	9.8	440	142.0	149.0	141.0	149.1	143.0	150.9
		380	250	10.5	440	146.1	161.3	145.8	161.0	149.4	164.6
		440	300	11.2	440	160.5	175.7	160.2	175.4	165.4	180.6
		490	350	11.9	450	172.6	187.8	175.4	190.6	183.3	198.5
600	15.4	565	400	12.6	480	199.0	208.2	205.0	214.7	216.0	223.9
		600	450	13.3	480	203.3	218.5	212.3	227.8	223.0	238.2
		680	500	14.0	500	232.0	242.9	247.0	257.3	259.0	267.7
		195	80	8.1	460	168.0	164.0	168.0	164.0	169.0	170.0
		200	100	8.4	460	171.0	167.0	171.0	167.0	171.0	168.0
		240	125	8.7	465	184.0	178.0	184.0	178.0	185.0	179.0

24、双承单支管三通  
Double socket tee with flanged branch




Main		Branch			Weight (kg)						
DN	e	L	dn	e1	h	PN10		PN16		PN25	
						T type	K type	T type	K type	T type	K type
600	15.4	260	150	9.1	470	187.0	182.0	187.0	182.0	188.0	183.0
		340	200	9.8	500	189.0	185.0	189.0	185.0	191.0	188.0
		380	250	10.5	500	219.0	215.0	218.0	215.0	222.0	218.0
		430	300	11.2	500	235.0	231.0	235.0	231.0	240.0	236.0
		490	350	11.9	510	252.0	247.0	255.0	251.0	263.0	260.0
		570	400	12.6	540	258.0	254.0	263.0	259.0	274.0	270.0
		610	450	13.3	540	285.0	281.0	293.0	289.0	309.0	305.0
		670	500	14.0	540	304.0	301.0	309.0	305.0	331.0	327.0
		800	600	15.4	580	340.0	336.0	366.0	363.0	380.0	376.0
700	16.8	210	80	8.1	490	208.8	189.8	208.8	189.8	208.8	189.8
		230	100	8.4	490	215.0	196.0	215.0	196.0	215.5	196.5
		250	125	8.7	495	221.5	202.5	221.5	202.5	222.1	203.1
		280	150	9.1	500	231.1	212.1	231.1	212.1	232.1	213.1
		345	200	9.8	525	252.4	233.4	252.4	233.4	254.2	235.2
		390	250	10.5	525	268.0	249.0	267.7	248.1	271.3	252.3
		440	300	11.2	525	285.3	266.3	285.0	266.0	290.2	271.2
		500	350	11.9	530	304.1	285.1	306.6	287.9	314.8	295.8
		575	400	12.6	555	330.7	311.7	337.2	318.2	346.4	327.4
		610	450	13.3	545	341.6	322.6	350.9	331.9	361.3	342.3
		680	500	14.0	550	367.0	348.0	381.4	362.4	391.8	372.8
		770	600	15.4	565	407.5	388.5	432.5	413.5	444.9	425.9
		925	700	16.8	600	477.7	458.7	491.8	472.8	524.3	505.3
800	18.2	240	80	8.1	550	278.9	252.5	278.9	252.5	278.9	252.5
		260	100	8.4	550	286.2	259.8	286.1	259.7	286.7	260.3
		290	125	8.7	555	297.2	270.8	297.2	270.8	297.8	271.4
		310	150	9.1	560	305.1	278.7	305.1	278.7	306.0	279.6
		350	200	9.8	585	321.5	295.1	321.5	295.1	323.3	296.9
		420	250	10.5	585	347.9	321.5	347.6	321.2	351.2	324.8
		480	300	11.2	585	371.2	344.5	370.9	344.5	376.1	349.7
		530	350	11.9	590	389.9	363.5	392.7	366.3	400.6	374.2
		580	400	12.6	615	412.2	385.8	418.7	392.3	427.9	401.5
		640	450	13.3	615	434.6	408.2	443.9	417.5	454.3	427.9
		690	500	14.0	615	456.4	430.0	470.8	444.4	481.2	454.8
		810	600	15.4	645	514.6	488.2	539.6	513.2	552.0	525.6
		920	700	16.8	655	571.4	545.0	585.5	559.1	618.0	591.6
1045	800	18.2	675	645.8	619.4	663.5	637.1	709.5	683.1		
900	19.6	240	80	8.1	605	354.6	316.6	345.6	316.6	354.6	316.6
		260	100	8.4	610	363.4	325.4	363.3	325.3	363.9	325.9
		290	125	8	615	376.4	338.4	376.4	338.4	377.0	339.0
		310	150	9.1	620	385.7	347.7	385.7	347.7	386.7	348.7
		355	200	9.8	645	406.9	368.9	407.0	369.0	408.8	370.8
		420	250	10.5	645	436.1	398.1	435.8	397.8	439.4	401.4
		480	300	11.2	650	463.9	425.9	463.6	425.6	468.8	430.8
		530	350	11.9	660	486.5	448.5	489.3	451.3	497.2	459.2
		590	400	12.6	675	515.1	477.1	521.6	483.3	530.8	492.8
		640	450	13.3	680	538.1	500.1	547.4	509.4	557.8	519.8
		690	500	14.0	690	564.7	526.7	579.1	541.1	589.5	551.5
		820	600	15.4	705	631.8	593.8	656.8	618.8	669.2	631.2
		920	700	16.8	720	691.9	653.9	706.0	668.0	738.5	700.5
1040	800	18.2	735	768.8	730.8	786.5	748.5	832.5	794.5		
1170	900	19.6	750	851.6	813.6	873.2	835.2	929.2	891.2		
1000	21	240	80	8.1	670	435.0	393.0	435.0	393.0	435.0	393.0
		260	100	8.4	670	445.2	403.2	445.2	403.2	445.7	403.7
		290	125	8.7	675	470.5	428.5	470.5	428.5	471.1	429.1
		310	150	9.1	680	476.7	434.7	476.7	434.7	477.7	435.7
		360	200	9.8	705	498.3	456.3	498.4	456.4	500.2	458.2
		420	250	10.5	705	530.0	488.0	529.7	487.7	533.3	491.3
		480	300	11.2	710	562.2	520.2	561.9	519.9	567.1	525.1
		530	350	11.9	720	588.4	546.4	591.2	549.2	599.1	557.1
		595	400	12.6	735	623.8	581.8	630.3	588.3	639.5	597.5
		640	450	13.3	740	647.9	605.9	657.2	615.2	667.6	625.6
		690	500	14.0	750	678.0	636.0	692.4	650.4	702.8	660.8
		825	600	15.4	765	756.5	714.5	781.5	739.5	793.9	751.9
		930	700	16.8	780	825.3	783.3	839.4	797.4	871.9	829.9
1040	800	18.2	795	904.5	862.5	922.2	880.2	968.2	926.2		
1160	900	19.6	810	989.1	947.1	1011	968.7	1067	1025		
1290	1000	21.0	825	1094	1052	1132	1090	1205	1163		
1100	22.4	240	80	8.1	730	531.7	458.9	531.7	458.9	531.7	458.9
		260	100	8.4	730	543.6	470.8	543.6	470.8	544.1	471.3

24、双承单支管三通  
Double socket tee with flanged branch



DN	Main e	L	Branch			Weight (kg)					
			dn	e1	h	PN10		PN16		PN25	
						T type	K type	T type	K type	T type	K type
1100	22.4	290	125	8.7	735	561.4	488.6	561.4	488.6	562.0	489.2
		310	150	9.1	740	573.9	501.1	573.9	501.1	574.8	502.0
		360	200	9.8	745	604.0	531.2	604.1	531.3	605.9	533.1
		420	250	10.5	755	640.9	568.1	640.6	567.8	644.2	571.4
		480	300	11.2	760	677.8	605.0	677.5	604.7	682.7	609.9
		530	350	11.9	770	707.8	635.0	710.6	637.8	718.5	645.7
		600	400	12.6	795	744.2	671.4	750.7	677.9	759.9	687.1
		650	450	13.3	795	780.4	707.6	789.7	716.9	800.1	727.3
		700	500	14.0	795	813.2	740.4	827.6	754.8	838.0	765.2
		830	600	15.4	825	892.6	819.8	917.6	844.8	930.0	857.2
		940	700	16.8	830	976.2	903.4	990.3	917.5	1023	950.0
		1050	800	18.2	835	1062	988.8	1080	1007	1126	1053
		1170	900	19.6	850	1153	1080	1174	1102	1230	1158
		1280	1000	21.0	870	1254	1181	1292	1219	1365	1292
		1390	1100	22.4	880	1359	1287	1398	1325	1482	1409
1200	23.8	240	80	8.1	790	646.3	534.3	646.3	534.3	646.3	534.3
		260	100	8.4	790	659.9	547.9	659.9	547.9	660.4	548.4
		290	125	8.7	795	680.4	568.4	680.4	568.4	681.0	569.0
		310	150	9.1	800	694.6	582.6	694.6	582.6	695.6	583.6
		360	200	9.8	805	729.2	617.2	729.2	617.2	731.0	619.0
		420	250	10.5	815	771.3	659.3	771.0	659.0	774.6	662.6
		480	300	11.2	820	813.4	701.4	813.1	701.1	818.3	706.3
		530	350	11.9	830	847.7	735.7	850.5	738.5	858.4	746.4
		590	400	12.6	835	889.2	777.2	895.7	783.7	904.9	792.9
		650	450	13.3	845	930.5	818.5	939.8	827.8	950.2	838.2
		710	500	14.0	850	974.0	862.0	988.4	876.4	998.8	886.8
		840	600	15.4	885	1074	962.0	1099	987.0	1112	999.4
		940	700	16.8	885	1152	1040	1166	1054	1198	1086
		1070	800	18.2	915	1264	1152	1281	1169	1327	1215
		1190	900	19.6	920	1361	1249	1382	1270	1438	1326
1300	1000	21.0	945	1472	1360	1510	1398	1583	1471		
1520	1200	23.8	955	1703	1591	1761	1649	1852	1740		
1400	26.6	340	80	8.1	870	1067	774.5	1067	774.5	1067	774.5
		420	100	8.4	875	1135	842.8	1135	842.8	1136	843.3
		450	125	8.7	880	1162	869.0	1162	869.0	1162	869.6
		480	150	9.1	880	1188	895.2	1188	895.2	1189	896.2
		540	200	9.8	890	1240	947.7	1240	947.7	1242	949.5
		560	250	10.5	895	1259	966.8	1259	966.5	1263	970.1
		650	300	11.2	905	1338	1046	1338	1046	1343	1051
		710	350	11.9	910	1389	1097	1392	1100	1400	1108
		770	400	12.6	920	1442	1150	1449	1156	1458	1166
		830	450	13.3	925	1493	1201	1503	1211	1513	1221
		880	500	14.0	935	1540	1247	1554	1262	1564	1272
		1030	600	15.4	980	1681	1389	1706	1414	1718	1426
		1120	700	16.8	990	1769	1477	1783	1491	1816	1523
		1260	800	18.2	1010	1908	1616	1926	1634	1972	1680
		1350	900	19.6	1020	2001	1708	2022	1730	2078	1786
1495	1000	21.0	1040	2155	1863	2193	1901	2266	1973		
1580	1100	22.4	1045	2257	1965	2295	2003	2379	2087		
1700	1200	23.8	1050	2398	2106	2457	2164	2547	2255		
1930	1400	26.6	1070	2686	2394	2747	2455	2887	2595		
1600	29.4	580	200	9.8	1030	1748	1318	1748	1318	1750	1320
		635	250	10.5	1040	1810	1380	1809	1379	1813	1383
		695	300	11.2	1045	1876	1446	1876	1446	1881	1451
		810	400	12.6	1060	2002	1572	2008	1578	2017	1567
		925	500	14.0	1075	2129	1699	2143	1713	2154	1724
		1040	600	15.4	1090	2260	1908	2285	1934	2897	1967
		1275	800	18.2	1120	2811	2381	2829	2399	2875	2445
		1505	1000	21.0	1150	2824	2480	2862	2522	2935	2594
		1740	1200	23.8	1180	3146	2799	3205	2863	3295	2954
		1970	1400	26.6	1210	3476	3048	3539	3109	3679	3249
1800	32.2	2200	1600	29.4	1240	3883	3453	3975	3545	4135	3705
		595	200	9.8	1150	2146	1697	2146	1697	2148	1690
		650	250	10.5	1150	2220	1771	2220	1771	2224	1774
		705	300	11.2	1155	2295	1846	2294	1845	2300	1850
		820	400	12.6	1170	2448	1998	2454	2005	2463	2014
		940	500	14.0	1185	2608	2159	2623	2174	2633	2184
		1055	600	15.4	1200	2766	2414	2791	2440	2803	2453
1285	800	18.2	1230	3092	2748	3109	2767	3155	2813		

24、双承单支盘三通  
Double socket tee with flanged branch



Main		Branch			Weight (kg)						
DN	e	L	dn	e1	h	PN10		PN16		PN25	
						T type	K type	T type	K type	T type	K type
1800	32.2	1520	1000	21.0	1260	3434	3095	3472	3137	3545	3210
		1750	1200	23.8	1290	3798	3460	3856	3524	3947	3614
		1980	1400	26.6	1320	4173	3723	4233	3784	4373	3924
		2215	1600	29.4	1350	4617	4168	4710	4260	4870	4421
		2445	1800	32.2	1380	5075	4626	5188	4739	5405	4956
2000	35	600	200	9.8	1250	/	2117	/	2117	/	2119
		660	250	10.5	1260	/	2214	/	2214	/	2218
		720	300	11.2	1270	/	2312	/	2311	/	2317
		835	400	12.6	1290	/	2496	/	2502	/	2511
		950	500	14.0	1305	/	2681	/	2695	/	2705
		1065	600	15.4	1310	/	2968	/	3015	/	3028
		1300	800	18.2	1340	/	3231	/	3248	/	3294
		1530	1000	21.0	1370	/	3790	/	3832	/	3904
		1760	1200	23.8	1400	/	4014	/	4072	/	4163
		1995	1400	26.6	1430	/	4645	/	4713	/	4852
		2225	1600	29.4	1460	/	4892	/	4984	/	5144
2460	1800	32.2	1490	/	5367	/	5480	/	5697		
2690	2000	35.0	1520	/	5999	/	6136	/	6458		
2200	37.8	815	200	9.8	1360	/	2606	/	2606	/	2608
		670	250	10.5	1370	/	2712	/	2711	/	2715
		730	300	11.2	1380	/	2627	/	2826	/	2831
		845	400	12.6	1395	/	3043	/	3050	/	3059
		960	500	14.0	1410	/	3245	/	3259	/	3270
		1000	600	15.4	1420	/	3647	/	3647	/	3660
		1310	800	18.2	1445	/	3917	/	3934	/	3980
		1540	1000	21.0	1480	/	4365	/	4403	/	4475
		1775	1200	23.8	1510	/	5056	/	5119	/	5101
		2005	1400	26.6	1540	/	5315	/	5375	/	5515
		2240	1600	29.4	1570	/	5846	/	5938	/	6099
		2470	1800	32.2	1600	/	6579	/	6705	/	6922
		2700	2000	35.0	1630	/	6947	/	7084	/	7406
2935	2200	37.8	1660	/	7741	/	7898	/	/		
2400	40.6	625	200	9.5	1470	/	3351	/	3351	/	3353
		685	250	10.5	1480	/	3485	/	3485	/	3488
		740	300	11.2	1490	/	3608	/	3608	/	3613
		860	400	12.6	1505	/	3872	/	3878	/	3888
		900	500	14.0	1520	/	4137	/	4151	/	4161
		1090	600	15.4	1530	/	4383	/	4409	/	4422
		1320	800	18.2	1560	/	4879	/	4897	/	4943
		1555	1000	21.0	1590	/	5406	/	5443	/	5516
		1785	1200	23.8	1620	/	6005	/	6069	/	6159
		2020	1400	26.6	1650	/	6487	/	6548	/	6687
		2250	1600	29.4	1680	/	7072	/	7164	/	7324
		2480	1800	32.2	1710	/	7734	/	7860	/	8084
		2715	2000	35.0	1740	/	8295	/	8432	/	8754
2945	2200	37.8	1770	/	9114	/	9272	/	/		
3180	2400	40.6	1800	/	9886	/	10093	/	/		
2600	43.4	640	200	9.5	1580	/	4017	/	4017.0	/	4019
		695	250	10.5	1590	/	4159	/	4159	/	4163
		755	300	11.2	1600	/	4314	/	4314	/	4319
		870	400	12.6	1615	/	4606	/	4613	/	4622
		985	500	14.0	1630	/	4898	/	4913	/	4923
		1100	600	15.4	1640	/	5205	/	5231	/	5250
		1335	800	18.2	1670	/	5779	/	5797	/	5843
		1565	1000	21.0	1700	/	6369	/	6407	/	6479
		1600	1200	23.8	1730	/	6990	/	7048	/	7139
		2030	1400	26.6	1750	/	7704	/	7772	/	7912
		2260	1600	29.4	1790	/	8250	/	8342	/	8502
		2495	1800	32.2	1820	/	8910	/	9023	/	9240
		2725	2000	35.0	1850	/	9713	/	9866	/	10060
		2960	2200	37.8	1880	/	10484	/	10641	/	/
3190	2400	40.6	1910	/	11286	/	11493	/	/		
3420	2600	43.4	1940	/	11667	/	11885	/	/		